




China 608zz Bearing Supplier



7308 Bearing 2D drawings and 3D CAD models

NTN 7308 Angular Contact Ball Bearings 7213c 7215b 7217 7019c 7313c

Bearing No. 7308

Size	40x90x23 mm
Bore Diameter	40 mm
Outer Diameter	90 mm
Width	23 mm
d	40 mm
D	90 mm
B	23 mm
C	23 mm
Angle (°)	25 °
a	30,5 mm
r min.	1,5 mm
r1 min.	1 mm
da min.	48,5 mm
db min	45,5 mm
ra max.	1,5 mm
Weight	0,625 Kg
Basic dynamic load rating (C)	49 kN
Basic static load rating (C0)	33 kN
(Grease) Lubrication Speed	8 600 r/min
Contact angle	30 °
rs min	1.5 mm
r1s min	1 mm
Mass	0.62 kg
Dynamic load, C	49 kN
Static load, C0	33 kN



China 608zz Bearing Supplier

Fatigue limit load, Cu	1.5 kN
Nlim (oil)	12,000 rpm
Nlim (grease)	8,600 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	120 ° C
da min	48.5 mm
Da max	81.5 mm
Db max	84.5 mm
r1a max	1 mm
ra max	1 mm
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.629
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 90MM Outside Diameter; 23MM



China 608zz Bearing Supplier

	Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	3.543 Inch 90 Millimeter
Width	0.906 Inch 23 Millimeter
Bore	1.575 Inch 40 Millimeter